

in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

SECTION 1: Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade name: Stone and Terracotta Oil clear

Article number: 620 Clear Satin

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: National Poison Centre: 0800 764 766 (0800 POISON)

Chemcall 24/7 Emergency Response Service: 0800 243 622 (0800

CHEMCALL)

Emergency Services (Fire, Ambulance, Police): Dial 111

Importer Osmo NZ Ltd.

218H Marua Road Mt Wellington AUCKLAND 1051

Phone: +64 (0) 9 951 6010 Email: info@osmo.co.nz

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to WHS Regulations

Flam. Liq. 4 H227 Combustible liquid.

Additional information: HSNO Classes: 3.1D

2.2 Label elements

Hazard pictograms Void Signal word Warning

Hazard statements H227 Combustible liquid.

Precautionary statements P101 If medical advice is needed, have product container or label at

hand.

(Contd. on page 2)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 1)

P102 Keep out of reach of children.

P210 Keep away from flames and hot surfaces. No smoking.

P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves / eye protection.

P370+P378 In case of fire: Use CO2, powder or water spray for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national

regulations.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13 25–50%

EC number: 918-481-9 Asp. Tox. 1, H304; Flam. Liq. 4, H227

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed Dizziness

Headache

(Contd. on page 3)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 2)

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Fire fighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising

from the substance or

mixture Fo

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental

precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Information about fire - and

explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 10

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see item 7.

(Contd. on page 5)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 4)

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

> Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Not necessary if room is well-ventilated.

Hand protection To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

> also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: > 0.4 mm

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

As protection from splashes gloves made of the following

materials are suitable: Nitrile rubber, NBR Eye/face protection If risk of splashing:

Safety glasses according to EN 166:2001 (e.g. densely closing frame glasses

with side protection) Tightly sealed goggles

(Contd. on page 6)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 5)

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: Yellowish Odour: Mild

Odour threshold: Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined. **Flammability** Not applicable.

Lower and upper explosion limit

0.7 Vol % Lower: Upper: 6 Vol %

>63 °C (>145.4 °F) (DIN EN ISO 2719) Flash point:

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined. pН Not applicable.

Viscosity:

Kinematic viscosity at 20 °C (68 °F) 25-35 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

Not determined.

Dynamic: Not determined.

Solubility

Not miscible or difficult to mix. water:

Partition coefficient n-octanol/water (log value)

Density and/or relative density

Density at 20 °C (68 °F): 0.88-0.95 g/cm³ (7.344-7.928 lbs/gal) (DIN 51757)

Relative density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: 240 °C (464 °F)

Explosive properties: Product does not present an explosion hazard.

Solvent content:

VOC (EC) < 500 g/l (VOC-max. Cat A/i (2010) = 500 g/l)

Change in condition

Evaporation rate Not determined.

(Contd. on page 7)



Revision: 26.10.2021

Printing date 02.02.2022

Version number 2.1 (replaces version 2.0)

Trade name: Stone and Terracotta Oil clear (Contd. of page 6) Information with regard to physical hazard classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Combustible liquid. Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

(Contd. on page 8)



Revision: 26.10.2021

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0)

Trade name: Stone and Terracotta Oil clear

(Contd. of page 7)

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

Self igniting.

10.4 Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

10.5 Incompatible materials: No fe

No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

(Contd. on page 9)



Revision: 26.10.2021

Printing date 02.02.2022

Version number 2.1 (replaces version 2.0)

Trade name: Stone and Terracotta Oil clear

(Contd. of page 8)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50 / 4h >11,882 mg/l (rat)

64742-48-9 aliphatic hydrocarbons, C10-C13

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met. **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

64742-48-9 aliphatic hydrocarbons, C10-C13

EC50 / 48h |>1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential12.4 Mobility in soilNo further relevant information available.No further relevant information available.

(Contd. on page 10)



Revision: 26.10.2021

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0)

Trade name: Stone and Terracotta Oil clear

(Contd. of page 9)

12.5 Results of PBT and vPvB assessment

PBT:Not applicable.vPvB:Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

_

(Contd. on page 11)



in accordance with HSNO

Printing date 02.02.2022 Version number 2.1 (replaces version 2.0) Revision: 26.10.2021

Trade name: Stone and Terracotta Oil clear

(Contd. of page 10)

UN "Model Regulation":

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals

All ingredients are listed.

Directive 2012/18/EU Named dangerous substances - ANNEX I

15.2 Chemical safety

None of the ingredients is listed.

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Neues Format

Relevant phrases H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids – Category 4 Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS: European chemical Substances Information System

ECHA Porta

Safety data sheets from raw material suppliers

* Data compared to the

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)

(Contd. on page 12)



Revision: 26.10.2021

Printing date 02.02.2022

Version number 2.1 (replaces version 2.0)

Trade name: Stone and Terracotta Oil clear	
	(Contd. of page 11)