

Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Garden Colour

Article number: 7103 Signal Yellow (RAL 1003), 7119 Grey Beige (RAL 1019), 7262 Pure

white (RAL 9010), 7283 Pine Green (RAL 6009), 7500 Traffic White (RAL 9016), 7505 Jet Black (RAL 9005), 7511 Brown Red (RAL 3011), 7519 Capri Blue (RAL 5019), 7530 Flame Red (RAL 3000), 7535 Light Grey (RAL 7035),

7542 Traffic Grey A (RAL 7042), 7629 Mint Green (RAL 6029), 7716 Anthracite Grey (RAL 7016), 7738 Agate Grey (RAL 7038), 7817 Chocolate

Brown (RAL 8017)

1.2 Relevant identified uses of the substance or mixture

and uses advised against
Application of the substance

No further relevant information available.

/ the mixture Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information: For the wording of the listed hazard phrases refer to section 16.

2.2 Label elements Hazard pictograms

GHS07

Signal word Warning

Hazard-determining

components of labelling: 2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

(Contd. on page 2)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name:	Garden	Colour
-------------	--------	--------

(Contd. of page 1)

Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements P101 If medical advice is needed, have product container or label at

hand.

P102 Keep out of reach of children.
P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with national

regulations.

Additional information: EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when

sprayed. Do not breathe spray or mist.

Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-

isothiazol-3-one

2.3 Other hazards Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9 Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≤0.015%
EINECS: 220-239-6 Index number: 613-326-00-9	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ♠ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide - aerodynamic dia meter >10 μm	0-20%

SVHC Not applicable.

Additional information: The content of Titanium dioxide varies according to the colour shade.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m.

(Contd. on page 3)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

If skin irritation or rash occurs: Get medical advice/attention. Rinse opened eye for several minutes under running water.

After swallowing: Rinse mouth.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

4.3 Indication of any

After eye contact:

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable

extinguishing agents: None known.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures We

Wear protective clothing.

For non-emergency

No action shall be taken involving any personal risk or without suitable training.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental

personnel

precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 3)

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

Warm water and cleansing agent

6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols. Avoid contact with skin and eyes.

General protective and

hygienic measures: Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and

explosion protection: The product is not flammable.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: No special requirements.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
Appropriate engineering

controls Ensure good ventilation/exhaustion at the workplace.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

The usual precautionary measures are to be adhered to when handling

chemicals.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working. See Section 7 for information on safe handling.

Respiratory protection: Only during spraying without adequate removal by suction.

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary.

Hand protection Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

(Contd. on page 6)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 5)

For the permanent contact gloves made of the following

materials are suitable: chemical resistant gloves (EN 374)

As protection from splashes gloves made of the following

materials are suitable:Nitrile rubber, NBREye/face protectionTightly sealed gogglesBody protection:Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: According to product specification

Odour: Mild

Odour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range ≥100 °C (7732-18-5 water, distilled, conductivity or of

similar purity)

Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

pH at 20 °C 8–9

Viscosity:

Kinematic viscosity at 20 °C 30-40 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)

Not determined.

Dynamic: Not determine

Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: ≤23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

Density and/or relative density

Density at 20 °C: 1.1-1.25 g/cm³ (DIN 51757)

Relative density Not determined.

(Contd. on page 7)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 6)

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

VOC (EC) < 130 g/I (VOC-max. Kat 1.d (2010) = 130 g/I)

Change in condition

Not determined. Evaporation rate

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Void Aerosols Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available. 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 8)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 7)

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:		
13463-67-	13463-67-7 titanium dioxide - aerodynamic dia meter >10 μm		
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
2634-33-5	2634-33-5 1,2-benzisothiazol-3(2H)-one		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rat)	
2682-20-4 2-methyl-2H-isothiazol-3-one			
Oral	LD50	50 mg/kg (rat) (OECD401)	
Dermal	LD50	200 mg/kg (rat) (OECD402)	
Inhalative	LC50 / 4h	>0.05 mg/l (rat) (OECD403 Aerosol)	

Skin corrosion/irritation

2682-20-4 2-methyl-2H-isothiazol-3-one

Dermal Skin irritation (rabbit) (OECD404)

Serious eye damage/irritation

2682-20-4 2-methyl-2H-isothiazol-3-one

Eye irritation (not tested; considered corrosive for eyes)

Respiratory or skin

sensitisation May cause an allergic skin reaction.

Inhalative sensitization (weight of evidence)

Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

Additional toxicological

information: May cause an allergic skin reaction.Sensitisation May cause an allergic skin reaction.

(Contd. on page 9)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 8)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

ſ	Aquatic toxicity:	
ſ	2634-33-5 1,2-benzis	sothiazol-3(2H)-one
ľ	EC50/ 72h	0.15 mg/l (algae)
	LC50 / 96h	1.3–1.6 mg/l (fish)
	LC50 / 48h	1.5–3.3 mg/l (Daphnia magna)
Ī	2682-20-4 2-methyl-2H-isothiazol-3-one	
ľ	EC50/ 72h (Static)	0.1 mg/l (algae) (OECD201)
	Biolog. Abbaubarkeit	% (Weight of evidence)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative potential

2682-20-4 2-methyl-2H-isothiazol-3-one

log POW <3

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:Not applicable.vPvB:Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

(Contd. on page 10)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

(Contd. of page 9)

15 01 04 metallic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR, IMDG, IATA Not applicable

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Not applicable

14.4 Packing group

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

substances - ANNEX I

None of the ingredients is listed.

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and

electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 11)



Printing date 23.02.2022 Version number 2.1 (replaces version 2.0) Revision: 23.02.2022

Trade name: Garden Colour

REGULATION (EU) 2019/1148

(Contd. of page 10)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

15.2 Chemical safety

VOC (EC)

. - - 3.- (

< 130 g/I (VOC-max. Kat 1.d (2010) = 130 g/I)

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Formal Changes

Reach Annex II (2021)

Relevant phrases H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 2.0

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 12)



Revision: 23.02.2022

Printing date 23.02.2022 Version number 2.1 (replaces version 2.0)

Trade name: Garden Colour

(Contd. of page 11)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category

1

Safety data sheets from raw material suppliers

ESIS: European chemical Substances Information System

ECHA Portal

* Data compared to the

Sources

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)

EU -