

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

SECTION 1: Identification of the substance or mixture and of the supplier

Other means of identification

Trade name: **Wood Reviver - Power Gel**

Article number: 6609

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Surface cleanser

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf
Germany

Further information obtainable from:

Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

Emergency telephone number:

National Poison Centre: 0800 764 766 (0800 POISON)
Chemcall 24/7 Emergency Response Service: 0800 243 622 (0800 CHEMCALL)
Emergency Services (Fire, Ambulance, Police): Dial 111

Importer

Bailey Wood
Osmo New Zealand 2025 Limited
8011 Christchurch
362 Cashel Street
Neuseeland
E-Mail: info@osmo.co.nz
Telefon: 00649575/9849
Mobil: 00642192/9555

SECTION 2: Hazards identification

Classification of the substance or mixture

Serious eye damage Category 1 H318 Causes serious eye damage.

Additional information: For the wording of the listed hazard phrases refer to section 16.
HSNO Classes: 8.3A

Label elements

Hazard pictograms



GHS05

(Contd. on page 2)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 1)

Signal word

Danger

Hazard-determining**components of labelling:**

oxalic acid

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

Other hazards

Protect metals (e.g. fittings) and plants from direct contact (e.g. cover useful and ornamental plants with painters' foil).

Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

Results of PBT and vPvB assessment**PBT:** Not applicable**vPvB:** Not applicable

SECTION 3: Composition/Information on ingredients

Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 6153-56-6	oxalic acid	3-5%
EINECS: 205-634-3	Serious eye damage Category 1, H318; Acute oral toxicity Category 4, H302; Acute dermal toxicity Category 4, H312	

SVHC

Not applicable

Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Seek immediate medical advice.

(Contd. on page 3)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 2)

After swallowing: Call for a doctor immediately.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Fire fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: For this mixture there are no extinguishing agent restrictions.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective clothing.

For emergency responders No action shall be taken involving any personal risk or without suitable training.

Environmental precautions: Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up: Do not allow to enter sewers/ surface or ground water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Warm water and cleansing agent

Reference to other sections No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 3)

SECTION 7: Handling and storage

Precautions for safe handling When diluting always pour product into water and not vice versa.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and explosion protection:

No special measures required.

Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by
storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Store only in the original receptacle.

Information about storage in
one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class:

12

Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Control parameters
Ingredients with limit values
that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 4)

DNELs
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	DNEL Verbraucher (Langzeit - systemische Effekte)	0.09 mg/kgKG/Tag
	DNEL Verbraucher (AKUT - systemische Effekte)	0.11 mg/kgKG/Tag
Inhalative	DNEL Arbeitnehmer (Langzeit - lokale Effekte)	0.02 mg/m ³
	DNEL Verbraucher (Langzeit - lokale Effekte)	0.02 mg/m ³

PNECs
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

PNEC sea water	0.00339 mg/l
PNEC fresh water	0.0039 mg/l
PNEC sediment (fresh water)	0.027 mg/kg
PNEC sediment (sea water)	0.027 mg/kg
PNEC soil	0.01 mg/kg

Additional information: The lists valid during the making were used as basis.
Exposure controls**Appropriate engineering****controls**

Ensure good ventilation/exhaustion at the workplace.

Individual protection measures, such as personal protective equipment**General protective and****hygienic measures:**

Do not eat or drink while working.
 Avoid contact with the eyes and skin.
 The usual precautionary measures are to be adhered to when handling chemicals.
 Do not eat, drink, smoke or sniff while working.
 See Section 7 for information on safe handling.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Hand protection

Check protective gloves prior to each use for their proper condition.
 Preventive skin protection by use of skin-protecting agents is recommended.
 Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 6)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 5)

As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye/face protection

Tightly sealed goggles

Body protection:

Acid resistant protective clothing

Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties
General Information
Physical state

Liquid

Colour:

Light green

Odour:

Mild

Odour threshold:

Not determined

Melting point/freezing point:

Undetermined

Boiling point or initial boiling point and boiling range

100 °C (212 °F)

Flammability

Not applicable

Lower and upper explosion limit
Lower:

Not determined

Upper:

Not determined

Flash point:

Not applicable

Decomposition temperature:

Not determined

pH at 20 °C (68 °F)

>2.1

Viscosity:
Kinematic viscosity

Not determined

Dynamic:

Not determined

Solubility
water:

Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined

Vapour pressure at 20 °C (68 °F):

23 hPa (17.3 mm Hg)

Density and/or relative density
Density at 20 °C (68 °F):
1.09 g/cm³ (9.096 lbs/gal) (DIN 51757)
Relative density

Not determined

(Contd. on page 7)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 6)

Particle characteristics	Not applicable
Other information	
Appearance:	
Form:	Pasty
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	Not applicable.
Change in condition	
Evaporation rate	Not determined
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.

(Contd. on page 8)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 7)

Hazardous decomposition products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
ATE (Acute Toxicity Estimates)

Oral	LD50	5,682 mg/kg (rat)
Dermal	LD50	16,667 mg/kg

CAS: 6153-56-6 oxalic acid

Oral	LD50	375 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rat)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	64 mg/kg (rat)
Dermal	LD50	78 mg/kg (rabbit)
Inhalative	LC50 / 4h	0.05 mg/l (ATE)
	ATE-Wert (Dampf)	1 mg/l

Primary irritant effect:
CAS: 6153-56-6 oxalic acid

Irritation of skin	Schleimhautreizung	
--------------------	--------------------	--

Skin corrosion/irritation
CAS: 6153-56-6 oxalic acid

Dermal	Skin irritation	
--------	-----------------	--

Serious eye damage/irritation
CAS: 6153-56-6 oxalic acid

Eye irritation	
----------------	--

Respiratory or skin sensitisation
CAS: 6153-56-6 oxalic acid

Inhalative	sensitization	
------------	---------------	--

Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 8)

Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information
Toxicity
Aquatic toxicity:
CAS: 6153-56-6 oxalic acid

EC50 / 48h 162.2 mg/l (Daphnia magna)

LC50 / 96h 160 mg/l (fish)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 / 48h 0.16 mg/l (Daphnia magna)

LC50 / 96h 0.19 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

biodegradability >60 %

Persistence and degradability No further relevant information available.

Bioaccumulative potential
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

log POW ≤0.71–0.75

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment
PBT: Not applicable

vPvB: Not applicable

Endocrine disrupting
properties The product does not contain substances with endocrine disrupting properties.

Other adverse effects
Behaviour in sewage processing plants:
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 7.9 mg/l (activated sludge organism)

Additional ecological information:
General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 9)

SECTION 13: Disposal considerations

Waste treatment methods
Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Disposal must be made according to official regulations.

Uncleaned packaging:
Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number or ID number
NZS, ADN, IMDG, IATA

Not applicable

UN proper shipping name
NZS, ADN, IMDG, IATA

Not applicable

Transport hazard class(es)
NZS, ADN, IMDG, IATA
Class

Not applicable

Packing group
NZS, IMDG, IATA

Not applicable

Environmental hazards:
Marine pollutant:

No

Special precautions for user

Not applicable

Maritime transport in bulk according to IMO instruments

Not applicable

UN "Model Regulation":

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
New Zealand Inventory of Chemicals

All ingredients are listed.

HSNO Approval numbers

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet

in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 10)

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

GHS05

Signal word

Danger

**Hazard-determining
components of labelling:**

oxalic acid

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

Chemical safety assessment**Named dangerous****substances - ANNEX I**

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

Department issuing SDS:

product safety department

Contact:

Hr. Dr. Starp

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEL: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 12)

Safety Data Sheet
in accordance with HSNO

Date of issue: 26.03.2026

Version number 7.1 (replaces version 7.0)

Revision: 10.03.2026

Trade name: Wood Reviver - Power Gel

(Contd. of page 11)

Sources

Acute oral toxicity Category 4: Acute toxicity – Category 4
Serious eye damage Category 1: Serious eye damage/eye irritation – Category 1
ESIS : European chemical Substances Information System
ECHA Portal
Safety data sheets from raw material suppliers

*** Data compared to the
previous version altered.**

Additions, Deletions, Revisions
Updated according to regulation (EU) 2020/878 amending regulation (EC) No:
1907/2006 (REACH)

-NZ-